

Trebåtfestivalens måltall- TBF

TBF 2023-55h

Jeppe Jul Nielsen

Mobil: 9077 8929

Email: jeppeju02@gmail.com

0,1088

Skaleringsfaktor

SA vs SA vs
Dipl Lwl

10,94 0,66

Seilfaktorer
En del seil reduseres etter %-sats som ses på linjen under seiloverskriftene.

Med 2 forseil trekkes 30% av minste

Forseil Gaffel. Toppseil Bermuda



Standardbåt - RS1 original teening	45.8'	Gaffel	0,88	5 seil	104 Kvm	100%	100%	0,77	0,883	23,0	19,3	40,0	9,0	13,0	11,00	Clipper
RS 1 Colin Archer	45.8'	Gaffel		5 seil	110 Kvm	105%	105%	0,77	0,883	25,8	19,3	40,0	9,0	15,9	11,00	Clipper
S+F+M+K+T	Gaffel	89,5	4 seil	94 Kvm	90%	90%	0,82	0,883	25,8	19,3	40,0	9,0	15,9	11,00	Clipper	
S+F+M+K	Gaffel	87	4 seil	84 Kvm	80%	80%	0,81	0,883	25,8	19,3	40,0	9,0	15,9	11,00	Clipper	
S+F+M+K+2	Gaffel	83,5	5 seil	130 Kvm	115%	128%	0,78	0,997	31,5	24,2	46,2	14,8	12,9	12,06	Clipper	
RS 28 Sandefjord	46.8'	Gaffel		4 seil	117 Kvm	104%	115%	0,81	0,997	31,5	24,2	46,2	14,8	12,9	12,06	Clipper
S+F+M+K+T	Gaffel	91,5	0 seil	0 Kvm	0%	0%	#DIV/0!	-							12,06	Clipper
S+F+M+K	Gaffel	89,5	5 seil	128 Kvm	110%	128%	0,78	0,996	29,9	21,9	48,9	14,0	12,9	12,06	Clipper	
S+F+M+K+2	Gaffel	85	4 seil	115 Kvm	99%	112%	0,81	0,996	29,9	21,9	48,9	14,0	12,9	12,06	Clipper	
RS kopi FAYANCE	47.3'	Gaffel		4 seil	103 Kvm	88%	100%	0,80	0,996	17,8	21,9	48,9	14,0	12,9	12,06	Clipper
S+F+M+K+T	Gaffel	91	5 seil	125 Kvm	110%	118%	0,77	0,990	25,4	18,0	48,3	14,0	13,0	11,71	Clipper	
S+F+M+K	Gaffel	89	4 seil	112 Kvm	96%	106%	0,80	0,990	25,4	18,0	48,3	14,0	13,0	11,71	Clipper	
S+F+M+K+2	Gaffel	87	4 seil	104 Kvm	92%	99%	0,80	0,990	25,4	18,0	48,3	14,0	13,0	11,71	Clipper	
Frøya	42.0'	Gaffel		4 seil	126 Kvm	168%	155%	0,80	1,006	31,0	23,5	58,0	13,5		11,60	Clipper
S+F+K+T	Gaffel	106	3 seil	113 Kvm	150%	139%	0,83	1,006	31,0	23,5	58,0	13,5		11,60	Clipper	
S+F+K	Gaffel	103,5	3 seil	108 Kvm	143%	132%	0,83	1,006	26,0	23,5	58,0			11,60	Clipper	
S+F+K+2 TBF 2022	Gaffel	101,5	4 seil	90 Kvm	129%	107%	0,79	0,997	23,0	17,0	40,0	33,3	27,3	12,0	11,00	Clipper
Havfrua	39.4'	Gaffel		3 seil	78 Kvm	112%	93%	0,84	0,997	23,0	17,0	40,0			11,00	Clipper
S+F+K+T	Gaffel	93,5	3 seil	72 Kvm	104%	86%	0,83	0,997	17,0	15,0	40,0			11,00	Clipper	
S+F+K	Gaffel	90,5	5 seil	141 Kvm	139%	134%	0,77	0,994	35,0	27,0	47,5	10,9	20,4	12,05	Clipper	
S+F+K	Gaffel	88	4 seil	120 Kvm	119%	114%	0,82	0,994	35,0	27,0	47,5	10,9	20,4	12,05	Clipper	
Jomfruen	49.0'	Gaffel		2 seil	75 Kvm	74%	71%	0,87	0,994		27,0	47,5			12,05	Clipper
S+F+K+T+M	Gaffel	101,5	5 seil	165 Kvm	164%	157%	0,81	0,994	59,4	27,0	47,5	10,9	20,4	12,05	Clipper	
S+F+K+M	Gaffel	98,5	4 seil	138 Kvm	137%	131%	0,83	0,994	59,4	27,0	47,5	10,9	20,4	12,05	Clipper	
S+F	Gaffel	86,5	4 seil	154 Kvm	154%	147%	0,80	0,998	24,7	17,6	49,3	40,3	32,5	12,0	10,30	Clipper
Genoa m/Fokk	Gaffel	108,5	4 seil	104 Kvm	147%	143%	0,80	0,998	24,7	17,6	49,3			12,0	10,30	Clipper
Genoa uten fokk	Gaffel	103	3 seil	92 Kvm	130%	126%	0,83	0,998	24,7	17,6	49,3			12,0	10,30	Clipper
Karen Sophie II	32.2'	Gaffel		2 seil	67 Kvm	95%	92%	0,85	0,998		17,6	49,3			10,30	Clipper
S+F+K+T	Gaffel	98	2 seil	58 Kvm	82%	80%	0,83	0,998		17,6	49,3	40,3	32,5		10,30	Clipper
S+F+K	Gaffel	95,5	2 seil	50 Kvm	71%	69%	0,81	0,998		17,6	49,3			10,30	Clipper	
S+F	Gaffel	87	4 seil	176 Kvm	199%	172%	0,79	1,029	41,0	32,5	15,0	26,7	87,0	21,5	15,60	Clipper
S1+F+k3	Gaffel	103	3 seil	155 Kvm	175%	151%	0,84	1,029	41,0	32,5	15,0	26,7	87,0	21,5	15,60	Clipper
S+F	Gaffel	105,5	3 seil	146 Kvm	165%	143%	0,83	1,029	32,5	26,7	87,0			15,60	Clipper	
S1+F	Gaffel	99	3 seil	129 Kvm	145%	126%	0,83	1,029	15,0	26,7	87,0			15,60	Clipper	
S2+F	Gaffel	93	3 seil	111 Kvm	126%	109%	0,80	1,029	15,0	26,7	87,0	69,6		15,60	Clipper	
Taralden	31.8'	Bermuda		2 seil	114 Kvm	128%	111%	0,85	1,029	26,7	87,0			15,60	Clipper	
S+F+G	Bermuda	110	2 seil	96 Kvm	109%	94%	0,82	1,029	26,7	87,0	69,6			15,60	Clipper	
S+G	Bermuda	101,5	2 seil	80 Kvm	91%	79%	0,80	1,029	26,7	87,0	69,6	53,6		15,60	Clipper	
S+F+K	Bermuda	99	3 seil	61 Kvm	173%	120%	0,92	1,014	27,0	17,0				9,80	Clipper	
S+F	Bermuda	93	2 seil	44 Kvm	125%	86%	1,00	1,014	27,0	17,0				9,80	Clipper	
Vilde	40.7'	Gaffel		3 seil	44 Kvm	125%	86%	0,93	1,014	10,0	17,0				9,80	Clipper
S+F+K+T	Gaffel	98	2 seil	34 Kvm	96%	67%	1,00	1,014	10,0	17,0				9,80	Clipper	
S+F+K	Gaffel	96	4 seil	97 Kvm	140%	142%	0,81	1,012	27,8	16,5	44,5		8,4	11,25	Clipper	
S1+F+k3	Gaffel	93	3 seil	89 Kvm	128%	130%	0,84	1,012	27,8	16,5	44,5		8,4	11,25	Clipper	
S2+F	Gaffel	89	0 seil	0 Kvm	0%	0%	#DIV/0!	-						11,25	Clipper	

Meter- og turbåter festivalen 2023	47.0'	Gaffel		4 seil <th>176 Kvm <th>199%</th> <th>172%</th> <th>0,79</th> <th>1,029 <th>41,0</th> <th>32,5</th> <th>15,0</th> <th>26,7</th> <th>87,0</th> <th>69,6</th> <th>53,6</th> <th>38,6</th> <th>21,5</th> <th>20,0</th> <th>15,60</th> </th></th>	176 Kvm <th>199%</th> <th>172%</th> <th>0,79</th> <th>1,029 <th>41,0</th> <th>32,5</th> <th>15,0</th> <th>26,7</th> <th>87,0</th> <th>69,6</th> <th>53,6</th> <th>38,6</th> <th>21,5</th> <th>20,0</th> <th>15,60</th> </th>	199%	172%	0,79	1,029 <th>41,0</th> <th>32,5</th> <th>15,0</th> <th>26,7</th> <th>87,0</th> <th>69,6</th> <th>53,6</th> <th>38,6</th> <th>21,5</th> <th>20,0</th> <th>15,60</th>	41,0	32,5	15,0	26,7	87,0	69,6	53,6	38,6	21,5	20,0	15,60
ANAHTA	52.2'	Bermuda		3 seil	155 Kvm	175%	151%	0,84	1,029	41,0	32,5	15,0	26,7	87,0	69,6	53,6	38,6	21,5	20,0	15,60
S+O	Bermuda	138	3 seil	146 Kvm	165%	143%	0,83	1,029	32,5	26,7	87,0			15,60	15,60	15,60	15,60	15,60	15,60	
S+F (festivalen 2022)	Bermuda	128,5	3 seil	129 Kvm	145%	126%	0,83	1,029	15,0	26,7	87,0			15,60	15,60	15,60	15,60	15,60	15,60	
Anita	70.3'	Bermuda		3 seil	111 Kvm	126%	109%	0,80	1,029	15,0	26,7			15,60	15,60	15,60	15,60	15,60	15,60	15,60
S+G	Bermuda	149,5	2 seil	114 Kvm	128%	111%	0,85	1,029	26,7	87,0			15,60	15,60	15,60	15,60	15,60	15,60	15,60	15,60
S+F	Bermuda	142,5	2 seil	96 Kvm	109%	94%	0,82	1,029	26,7	87,0	69,6			15,60	15,60	15,60	15,60	15,60	15,60	15,60
S+G	Bermuda	149,5	2 seil	80 Kvm	91%	79%	0,80	1,029	26,7	87,0	69,6	53,6		15,60	15,60	15,60	15,60	15,60	15,60	15,60
S+F	Bermuda	142,5	2 seil	61 Kvm	173%	120%	0,92	1,014	27,0	17,0				9,80	9,80	9,80	9,80	9,80	9,80	9,80
S+G	Bermuda	101,5	2 seil	44 Kvm	125%	86%	1,00	1,014	27,0	17,0				9,80	9,80	9,80	9,80	9,80	9,80	9,80
S+F+K	Bermuda	99	3 seil	44 Kvm	125%	86%	0,93	1,014	10,0	17,0				9,80	9,80	9,80	9,80	9,80	9,80	9,80
S+F	Bermuda	93	2 seil	34 Kvm	96%	67%	1,00	1,014	10,0	17,0				9,80	9,80	9,80	9,80	9,80	9,80	9,80
Vilde	40.7'	Gaffel		4 seil	97 Kvm	140%	142%	0,81	1,012	27,8	16,5	44,5		8,4	11,25	11,25	11,25	11,25	11,25	11,25
S+F+K+T	Gaffel	98	3 seil	89 Kvm	128%	130%	0,84	1,012	27,8	16,5	44,5		8,4	11,25	11,25	11,25	11,25	11,25	11,25	11,25
S+F+K	Gaffel	96	0 seil	0 Kvm	0%	0%	#DIV/0!	-						11,25	11,25	11,25	11,25	11,25	11,25	11,25
S1+F+k3	Gaffel	93	2 seil	80 Kvm	91%	79%	0,80	1,029	26,7	87,0	69,6	53,6		15,60	15,60	15,60	15,60	15,60	15,60	15,60

0,96	Ekstra langkjølet, kuttere o.l.	1,01	Kortere vannlinje, meterbåt
0,97	Los/RS/bruksbåt	1,02	Meget kortkjølet, skjærgårdsryser o.l.
0,98	Lystbåt som Cruiser/Marie	1,02	Delt laterplan, medium
0,99	Underskåret baug som spissgattere, løkøbåt o.l.	1,03	Finnkjøl, medium
1,00	Meterbåter	1,05	Finnkjøl, smal

Skrog, Skrogmål	Ballast	Motor.
L/OA m	LWL m	Brd. Netto m
Dyp m	Depl. tonn m	Kjel tonn
Ball. tonn	Motor hk	Motor vekt
Vann liter	Diesel liter	Depl TBF 2023
Vekt annet	Brd. L	Kjel & Ball. %
Netto vekt vs. RS1	Depl. Lengde vs. RS1	Depl. L&B vs. RS1
Bredder vs. RS1	Dypp vs. RS1	Propell type
Annet bidler	Propell faktor	Erlings-Faktor

RS	0,97	13,95	12,58	4,65	2,30	29,40	5,50	4,20	120	840	300	300	30,00	35%	33%	0,023	0,013	0,036	0,351
----	------	-------	-------	------	------	-------	------	------	-----	-----	-----	-----	-------	-----	-----	-------	-------	-------	-------

